

**RICHARD A. LEVIN, M.D., D.M.D.**  
**LAWRENCE J. FLIEGELMAN, M.D.\***  
**AIMEE ALTSCHUL-LATZMAN, M.D.\*\***

Diplomates of the American Board of Otolaryngology

\*Diplomate of the American Board of Facial Plastic and Reconstructive Surgery

\*\*Diplomate of the American Board of Allergy and Immunology

---

---

Otolaryngology  
Head And Neck Surgery  
Facial Plastic Surgery  
Allergy, Asthma, Immunology

**Disclosure and Consent –Treatment with Sculptra®**

**Patient Name:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**To the patient:** You have the right to be informed about your skin condition and the recommended surgical, medical or diagnostic procedure to be used. You may make the decision whether or not to undergo the procedure after knowing the risks and hazards involved. This disclosure is not meant to scare or alarm you; it is simply an effort to better inform you so that you may give or withhold your consent to the procedure.

I voluntarily request **Dr.** \_\_\_\_\_, as my physician, and such associates, technical assistants and other health care providers as they may be necessary, to treat me with Sculptra®.

I understand that no warranty or guarantee has been made to me as to result or cure. There may be potential complications including hemorrhage, redness, swelling, pain, allergic reaction, infection, or bruising.

As with any injection, you may expect to experience a slight localized swelling (similar to a mosquito bite) accompanied by mild soreness and redness that may last for a few hours. This is a normal response. ANY persistent or increasing redness, swelling, or tenderness and/or persistent itching should be reported immediately to your physician. You should also report generalized reactions such as rash, flu-like symptoms, swelling in your joints or difficulty in breathing.

Results of Sculptra® injection appear immediately after injection due to swelling and sterile water used for injection. In 1-2 weeks after the swelling and water are resorbed by the body, you will look as you did before your treatment. Sculptra® takes time to gradually correct the depressions and wrinkles in your skin and this usually occurs over 3 months.

I also realize that as with other filling agents, it may be necessary to have additional procedures performed 3 months or more after the initial implantation to achieve and maintain optimal correction.

In clinical studies, the results of Sculptra® treatments last for at least 2 years.

Certain reactions are unlikely to occur with the injection of Sculptra®. However, the possibility exists for their occurrence: development of subcutaneous papules or nodules, scar formation at injection sites and raising of a depressed lesion above the surrounding tissue as a result of over correction. Subcutaneous papules or nodules usually resolve in 6-12 months.

I have been given and read the Sculptra® information brochure and have had the opportunity to ask questions regarding treatment. I believe that I have sufficient information to give this informed consent. I certify that this form has been fully explained to me, that I have read it or have had it read to me and that I understand its contents.

I agree that this constitutes full disclosure, and that it supersedes any previous verbal or written disclosures. I certify that I have read, and fully understand; the above paragraphs, and that I have had sufficient opportunity for discussion and to ask questions. I consent to this procedure today and for all subsequent treatments.

Patient's Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Physician's Signature: \_\_\_\_\_

Date: \_\_\_\_\_